

( )  
WH

LV LP SUGG EXFNO

F Q W

WH

R

WURJK

R

VOH  
WDA


WH

DUH

FSD

LCWDS\$3sp @

DNRQ/





\_\_\_\_\_

0°/ 0° bi-axial

\_\_\_\_\_ , \_\_\_\_\_

( ) , \_\_\_\_\_

& \_\_\_\_\_ 0° , \_\_\_\_\_

0° \_\_\_\_\_ 0°

0° \_\_\_\_\_ 0° \_\_\_\_\_ ( )

\_\_\_\_\_ , \_\_\_\_\_

\_\_\_\_\_ , \_\_\_\_\_ , \_\_\_\_\_ , \_\_\_\_\_

\_\_\_\_\_ , \_\_\_\_\_

(1 ) , (1 2) (200 ) (1 6). (2013). \_\_\_\_\_ 200

(201 )

\_\_\_\_\_ , \_\_\_\_\_

\_\_\_\_\_ , \_\_\_\_\_

1, 1, 1 2, 2

( ),

- , . , , ,

- /

2006

( 63),

"

" (2012)

400

30

" (200 )

"

50

# Electromagnetic Shielding Applications of Multi-functional Nanocomposites and CFRP Composite Structures

-

-

· · · ,

· ( )

·

-

·

,

( - )

,

( , 52%

(

26420

,

,

,

· -

, , 1 3.

1 3,

1 .

2005,

201 .

( ) 2010-2012,

2012-2014

/

-

·

/

,

,

400

,

20

,

·

·

2021 -

\*

+

2020

201

63

04